

Temprid 75 Residual Insecticide

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 31.01.2024 |
| 2.0 | 29.07.2024 | 11193982-00003 | Date of first issue: 10.04.2023 |

Section 1: Identification

Product name : Temprid 75 Residual Insecticide

Product code : Article/SKU: 88584805 UVP: 79726996 Specification: 102000022949

Manufacturer or supplier's details

Company : Garrards (NZ) Ltd.

Address : Unit 4/27B Cain Rd
Penrose, New Zealand 8140

Telephone : 0800 10 22 76

Emergency telephone number : +64 9801 0034
0800 425 459

Recommended use of the chemical and restrictions on use

Recommended use : Insecticide

Restrictions on use : Not applicable

Section 2: Hazard identification**GHS Classification**

Acute toxicity (Oral) : Category 4

Acute toxicity (Inhalation) : Category 4

Skin sensitisation : Category 1

Effects on or via lactation

Specific target organ toxicity - single exposure : Category 2 (Nervous system)

Specific target organ toxicity - repeated exposure : Category 2

Hazardous to the aquatic environment - acute hazard : Category 1

Hazardous to the aquatic environment - chronic hazard : Category 1

Temprid 75 Residual Insecticide

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: |
| 2.0 | 29.07.2024 | 11193982-00003 | 31.01.2024 |
| | | | Date of first issue: 10.04.2023 |

GHS label elements

Hazard pictograms

:



Signal word

:

Warning

Hazard statements

:

H302 + H332 Harmful if swallowed or if inhaled.
H317 May cause an allergic skin reaction.
H362 May cause harm to breast-fed children.
H371 May cause damage to organs (Nervous system).
H373 May cause damage to organs through prolonged or repeated exposure.
H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

:

Prevention:

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P260 Do not breathe mist or vapours.
P263 Avoid contact during pregnancy and while nursing.
P264 Wash skin thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.
P271 Use only outdoors or in a well-ventilated area.
P272 Contaminated work clothing should not be allowed out of the workplace.
P273 Avoid release to the environment.
P280 Wear protective gloves.

Response:

P301 + P312 + P330 IF SWALLOWED: Call a POISON CENTER/ doctor if you feel unwell. Rinse mouth.
P302 + P352 IF ON SKIN: Wash with plenty of water.
P304 + P340 + P312 IF INHALED: Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER/ doctor if you feel unwell.
P308 + P311 IF exposed or concerned: Call a POISON CENTER/ doctor.
P333 + P313 If skin irritation or rash occurs: Get medical advice/ attention.
P362 + P364 Take off contaminated clothing and wash it before reuse.
P391 Collect spillage.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/ container to an approved waste disposal plant.

Temprid 75 Residual Insecticide

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 31.01.2024 |
| 2.0 | 29.07.2024 | 11193982-00003 | Date of first issue: 10.04.2023 |

Other hazards which do not result in classification

Cutaneous sensations may occur, such as burning or stinging on the face and mucosae. However, these sensations cause no lesions and are of a transitory nature (max. 24 hours).

Section 3: Composition/information on ingredients

Substance / Mixture : Mixture

Chemical nature : Suspension concentrate (=flowable concentrate)(SC)

Components

| Chemical name | CAS-No. | Concentration (% w/w) |
|--|--------------|-----------------------|
| Glycerine | 56-81-5 | ≥ 10 -< 20 |
| Imidacloprid | 138261-41-3 | ≥ 2.5 -< 10 |
| Alkyl naphthalenesulfonic acid, polymer with formaldehyde, sodium salt | 68425-94-5 | ≥ 1 -< 2.5 |
| beta-Cyfluthrin (ISO) | 1820573-27-0 | ≥ 1 -< 2.5 |
| 1,2-Benzisothiazol-3(2H)-one | 2634-33-5 | ≥ 0.05 -< 0.1 |

Section 4: First-aid measures

- General advice : In the case of accident or if you feel unwell, seek medical advice immediately.
When symptoms persist or in all cases of doubt seek medical advice.
- If inhaled : If inhaled, remove to fresh air.
If not breathing, give artificial respiration.
If breathing is difficult, give oxygen.
Get medical attention.
- In case of skin contact : In case of contact, immediately flush skin with plenty of water.
Remove contaminated clothing and shoes.
Get medical attention.
Wash clothing before reuse.
Thoroughly clean shoes before reuse.
- In case of eye contact : Flush eyes with water as a precaution.
Get medical attention if irritation develops and persists.
- If swallowed : If swallowed, DO NOT induce vomiting unless directed to do so by medical personnel.
Get medical attention.
Rinse mouth thoroughly with water.
Never give anything by mouth to an unconscious person.
- Most important symptoms and effects, both acute and delayed : Harmful if swallowed or if inhaled.
May cause an allergic skin reaction.
May cause harm to breast-fed children.
May cause damage to organs.
May cause damage to organs through prolonged or repeated

Temprid 75 Residual Insecticide

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 31.01.2024 |
| 2.0 | 29.07.2024 | 11193982-00003 | Date of first issue: 10.04.2023 |

exposure.

This product contains a pyrethroid.

Pyrethroid poisoning should not be confused with carbamate or organophosphate poisoning.

This product contains a nicotinoid.

| | | |
|----------------------------|---|---|
| Protection of first-aiders | : | First Aid responders should pay attention to self-protection, and use the recommended personal protective equipment when the potential for exposure exists (see section 8). |
| Notes to physician | : | Treat symptomatically and supportively. |

Section 5: Fire-fighting measures

| | | |
|---|---|---|
| Suitable extinguishing media | : | Water spray Alcohol-resistant foam Carbon dioxide (CO ₂) Dry chemical |
| Unsuitable extinguishing media | : | None known. |
| Specific hazards during fire-fighting | : | Exposure to combustion products may be a hazard to health. |
| Hazardous combustion products | : | Carbon oxides Nitrogen oxides (NO _x) Chlorine compounds Metal oxides Fluorine compounds |
| Specific extinguishing methods | : | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Use water spray to cool unopened containers. Remove undamaged containers from fire area if it is safe to do so. Evacuate area. |
| Special protective equipment for firefighters | : | In the event of fire, wear self-contained breathing apparatus. Use personal protective equipment. |
| Hazchem Code | : | 3Z |

Section 6: Accidental release measures

| | | |
|---|---|--|
| Personal precautions, protective equipment and emergency procedures | : | Use personal protective equipment. Follow safe handling advice (see section 7) and personal protective equipment recommendations (see section 8). |
| Environmental precautions | : | Avoid release to the environment. Prevent further leakage or spillage if safe to do so. Prevent spreading over a wide area (e.g. by containment or oil |

Temprid 75 Residual Insecticide

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 31.01.2024 |
| 2.0 | 29.07.2024 | 11193982-00003 | Date of first issue: 10.04.2023 |

barriers).
Retain and dispose of contaminated wash water.
Local authorities should be advised if significant spillages cannot be contained.

Methods and materials for containment and cleaning up : Soak up with inert absorbent material.
For large spills, provide dyking or other appropriate containment to keep material from spreading. If dyked material can be pumped, store recovered material in appropriate container. Clean up remaining materials from spill with suitable absorbent.
Local or national regulations may apply to releases and disposal of this material, as well as those materials and items employed in the cleanup of releases. You will need to determine which regulations are applicable.
Sections 13 and 15 of this SDS provide information regarding certain local or national requirements.

Section 7: Handling and storage

Technical measures : See Engineering measures under EXPOSURE CONTROLS/PERSONAL PROTECTION section.

Local/Total ventilation : If sufficient ventilation is unavailable, use with local exhaust ventilation.

Advice on safe handling : Avoid contact during pregnancy and while nursing.
Do not get on skin or clothing.
Do not breathe mist or vapours.
Do not swallow.
Avoid contact with eyes.
Wash skin thoroughly after handling.
Handle in accordance with good industrial hygiene and safety practice, based on the results of the workplace exposure assessment
Keep container tightly closed.
Do not eat, drink or smoke when using this product.
Take care to prevent spills, waste and minimize release to the environment.

Hygiene measures : If exposure to chemical is likely during typical use, provide eye flushing systems and safety showers close to the working place.
When using do not eat, drink or smoke.
Contaminated work clothing should not be allowed out of the workplace.
Wash contaminated clothing before re-use.

Conditions for safe storage : Keep in properly labelled containers.
Store locked up.
Keep tightly closed.

Temprid 75 Residual Insecticide

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 31.01.2024 |
| 2.0 | 29.07.2024 | 11193982-00003 | Date of first issue: 10.04.2023 |

Keep in a cool, well-ventilated place.
Store in accordance with the particular national regulations.

Materials to avoid : Do not store with the following product types:
Strong oxidizing agents

Section 8: Exposure controls/personal protection**Components with workplace control parameters**

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|------------|---------|----------------------------------|--|--------|
| Glycerine | 56-81-5 | WES-TWA (Mist) | 10 mg/m ³ | NZ OEL |

Engineering measures : Minimize workplace exposure concentrations.
If sufficient ventilation is unavailable, use with local exhaust ventilation.

Personal protective equipment

Respiratory protection : If adequate local exhaust ventilation is not available or exposure assessment demonstrates exposures outside the recommended guidelines, use respiratory protection.

Filter type : Combined particulates and organic vapour type

Hand protection

Material : Nitrile rubber
Break through time : > 480 min
Glove thickness : 0.4 mm
Protective index : Class 6

Remarks : Choose gloves to protect hands against chemicals depending on the concentration and quantity of the hazardous substance and specific to place of work. For special applications, we recommend clarifying the resistance to chemicals of the aforementioned protective gloves with the glove manufacturer. Wash hands before breaks and at the end of workday.

Eye protection : Wear the following personal protective equipment:
Safety glasses

Skin and body protection : Select appropriate protective clothing based on chemical resistance data and an assessment of the local exposure potential.
Skin contact must be avoided by using impervious protective clothing (gloves, aprons, boots, etc).

Temprid 75 Residual Insecticide

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 31.01.2024 |
| 2.0 | 29.07.2024 | 11193982-00003 | Date of first issue: 10.04.2023 |

Section 9: Physical and chemical properties

| | | |
|--|---|---|
| Appearance | : | suspension |
| Colour | : | light beige |
| Odour | : | No data available |
| Odour Threshold | : | No data available |
| pH | : | 4.5 - 7 (23 °C) Concentration: 100 % |
| Melting point/freezing point | : | No data available |
| Initial boiling point and boiling range | : | No data available |
| Flash point | : | No data available |
| Evaporation rate | : | No data available |
| Flammability (solid, gas) | : | Not applicable |
| Flammability (liquids) | : | No data available |
| Upper explosion limit / Upper flammability limit | : | No data available |
| Lower explosion limit / Lower flammability limit | : | No data available |
| Vapour pressure | : | No data available |
| Relative vapour density | : | No data available |
| Relative density | : | No data available |
| Density | : | ca. 1.08 g/cm ³ (20 °C) |
| Solubility(ies) Water solubility | : | dispersible |
| Partition coefficient: n-octanol/water | : | Not applicable |
| Auto-ignition temperature | : | No data available |

Temprid 75 Residual Insecticide

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 31.01.2024 |
| 2.0 | 29.07.2024 | 11193982-00003 | Date of first issue: 10.04.2023 |

| | | |
|---------------------------|---|--|
| Decomposition temperature | : | No data available |
| Viscosity | : | |
| Viscosity, kinematic | : | No data available |
| Explosive properties | : | Not explosive |
| Oxidizing properties | : | The substance or mixture is not classified as oxidizing. |
| Particle characteristics | : | |
| Particle size | : | Not applicable |

Section 10: Stability and reactivity

| | | |
|------------------------------------|---|--|
| Reactivity | : | Not classified as a reactivity hazard. |
| Chemical stability | : | Stable under normal conditions. |
| Possibility of hazardous reactions | : | Can react with strong oxidizing agents. |
| Conditions to avoid | : | None known. |
| Incompatible materials | : | Oxidizing agents |
| Hazardous decomposition products | : | No hazardous decomposition products are known. |

Section 11: Toxicological information

| | | |
|-----------------|---|--|
| Exposure routes | : | Inhalation Skin contact Ingestion Eye contact |
|-----------------|---|--|

Acute toxicity

Harmful if swallowed or if inhaled.

Product:

| | | |
|---------------------------|---|---|
| Acute oral toxicity | : | Acute toxicity estimate: 406.73 mg/kg Method: Calculation method |
| Acute inhalation toxicity | : | Acute toxicity estimate: 3.5 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: Calculation method |

Temprid 75 Residual Insecticide

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 31.01.2024 |
| 2.0 | 29.07.2024 | 11193982-00003 | Date of first issue: 10.04.2023 |

Components:**Glycerine:**

| | | |
|-----------------------|---|----------------------------------|
| Acute oral toxicity | : | LD50 (Rat): > 5,000 mg/kg |
| Acute dermal toxicity | : | LD50 (Guinea pig): > 5,000 mg/kg |

Imidacloprid:

| | | |
|---------------------------|---|--|
| Acute oral toxicity | : | LD50 (Mouse, male): 131 mg/kg Method: OECD Test Guideline 401 |
| Acute inhalation toxicity | : | LC50 (Rat): > 5.323 mg/l Exposure time: 4 h Test atmosphere: dust/mist |
| Acute dermal toxicity | : | LD50 (Rat): > 5,000 mg/kg |

Alkyl naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

| | | |
|---------------------|---|---------------------------|
| Acute oral toxicity | : | LD50 (Rat): > 4,500 mg/kg |
|---------------------|---|---------------------------|

beta-Cyfluthrin (ISO):

| | | |
|---------------------------|---|---|
| Acute oral toxicity | : | LD50 (Rat): 11 mg/kg |
| Acute inhalation toxicity | : | LC50 (Rat): 0.081 mg/l Exposure time: 4 h Test atmosphere: dust/mist Method: OECD Test Guideline 403 |
| Acute dermal toxicity | : | LD50 (Rat): > 5,000 mg/kg Method: OECD Test Guideline 402 |

1,2-Benzisothiazol-3(2H)-one:

| | | |
|-----------------------|---|---|
| Acute oral toxicity | : | LD50 (Rat): 454 mg/kg Method: OECD Test Guideline 401 |
| Acute dermal toxicity | : | LD50 (Rat): > 2,000 mg/kg Method: OECD Test Guideline 402 Assessment: The substance or mixture has no acute dermal toxicity |

Skin corrosion/irritation

Not classified based on available information.

Product:

| | | |
|--------|---|----------------------|
| Result | : | Mild skin irritation |
|--------|---|----------------------|

Temprid 75 Residual Insecticide

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 31.01.2024 |
| 2.0 | 29.07.2024 | 11193982-00003 | Date of first issue: 10.04.2023 |

Components:**Glycerine:**

| | |
|---------|----------------------|
| Species | : Rabbit |
| Result | : No skin irritation |

Imidacloprid:

| | |
|---------|----------------------|
| Species | : Rabbit |
| Result | : No skin irritation |

beta-Cyfluthrin (ISO):

| | |
|---------|---------------------------|
| Species | : Rabbit |
| Method | : OECD Test Guideline 404 |
| Result | : No skin irritation |

1,2-Benzisothiazol-3(2H)-one:

| | |
|--------|-------------------|
| Result | : Skin irritation |
|--------|-------------------|

Serious eye damage/eye irritation

Not classified based on available information.

Components:**Glycerine:**

| | |
|---------|---------------------|
| Species | : Rabbit |
| Result | : No eye irritation |

Imidacloprid:

| | |
|---------|---------------------|
| Species | : Rabbit |
| Result | : No eye irritation |

Alkyl naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

| | |
|--------|--|
| Result | : Irritation to eyes, reversing within 21 days |
|--------|--|

beta-Cyfluthrin (ISO):

| | |
|---------|---------------------------|
| Species | : Rabbit |
| Result | : No eye irritation |
| Method | : OECD Test Guideline 405 |

1,2-Benzisothiazol-3(2H)-one:

| | |
|---------|-----------------------------------|
| Species | : Rabbit |
| Result | : Irreversible effects on the eye |

Temprid 75 Residual Insecticide

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 31.01.2024 |
| 2.0 | 29.07.2024 | 11193982-00003 | Date of first issue: 10.04.2023 |

Respiratory or skin sensitisation**Skin sensitisation**

May cause an allergic skin reaction.

Respiratory sensitisation

Not classified based on available information.

Components:**Imidacloprid:**

| | |
|-----------------|---------------------------|
| Test Type | : Magnusson-Kligman-Test |
| Exposure routes | : Skin contact |
| Species | : Guinea pig |
| Method | : OECD Test Guideline 406 |
| Result | : negative |

beta-Cyfluthrin (ISO):

| | |
|-----------------|---------------------------|
| Test Type | : Buehler Test |
| Exposure routes | : Skin contact |
| Species | : Guinea pig |
| Method | : OECD Test Guideline 406 |
| Result | : negative |

1,2-Benzisothiazol-3(2H)-one:

| | |
|-----------------|---------------------------|
| Test Type | : Maximisation Test |
| Exposure routes | : Skin contact |
| Species | : Guinea pig |
| Method | : OECD Test Guideline 406 |
| Result | : positive |

| | |
|------------|---|
| Assessment | : Probability or evidence of high skin sensitisation rate in humans |
|------------|---|

Chronic toxicity**Germ cell mutagenicity**

Not classified based on available information.

Components:**Glycerine:**

| | |
|-----------------------|---|
| Genotoxicity in vitro | : Test Type: In vitro mammalian cell gene mutation test Result: negative |
| | Test Type: Bacterial reverse mutation assay (AMES) Result: negative |
| | Test Type: Chromosome aberration test in vitro Result: negative |

Temprid 75 Residual Insecticide

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 31.01.2024 |
| 2.0 | 29.07.2024 | 11193982-00003 | Date of first issue: 10.04.2023 |

Test Type: DNA damage and repair, unscheduled DNA synthesis in mammalian cells (in vitro)
Result: negative

Imidacloprid:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Result: negative

Test Type: Chromosome aberration test in vitro
Result: negative

beta-Cyfluthrin (ISO):

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Result: negative
Remarks: Based on data from similar materials

Test Type: Chromosome aberration test in vitro
Result: negative
Remarks: Based on data from similar materials

1,2-Benzisothiazol-3(2H)-one:

Genotoxicity in vitro : Test Type: Bacterial reverse mutation assay (AMES)
Method: OECD Test Guideline 471
Result: negative

Test Type: In vitro mammalian cell gene mutation test
Method: OECD Test Guideline 476
Result: negative

Test Type: Chromosome aberration test in vitro
Method: OECD Test Guideline 473
Result: positive

Genotoxicity in vivo : Test Type: Unscheduled DNA synthesis (UDS) test with mammalian liver cells in vivo
Species: Rat
Application Route: Ingestion
Method: OECD Test Guideline 486
Result: negative

Carcinogenicity

Not classified based on available information.

Components:**Glycerine:**

Species : Rat

Temprid 75 Residual Insecticide

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 31.01.2024 |
| 2.0 | 29.07.2024 | 11193982-00003 | Date of first issue: 10.04.2023 |

| | |
|-------------------|-------------|
| Application Route | : Ingestion |
| Exposure time | : 2 Years |
| Result | : negative |

beta-Cyfluthrin (ISO):

| | |
|-------------------|--|
| Species | : Mouse |
| Application Route | : Ingestion |
| Exposure time | : 18 Months |
| Result | : negative |
| Remarks | : Based on data from similar materials |

Reproductive toxicity

May cause harm to breast-fed children.

Components:**Glycerine:**

| | |
|-------------------------------|---|
| Effects on fertility | : Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Result: negative |
| Effects on foetal development | : Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative |

Imidacloprid:

| | |
|-------------------------------|--|
| Effects on foetal development | : Test Type: Embryo-foetal development Species: Rat Application Route: Ingestion Result: negative |
|-------------------------------|--|

beta-Cyfluthrin (ISO):

| | |
|------------------------------------|---|
| Effects on fertility | : Test Type: Two-generation reproduction toxicity study Species: Rat Application Route: Ingestion Method: OECD Test Guideline 416 Result: negative Remarks: Based on data from similar materials |
| Effects on foetal development | : Test Type: Fertility/early embryonic development Species: Rat Application Route: Ingestion Method: OECD Test Guideline 426 Result: negative |
| Reproductive toxicity - Assessment | : Studies indicating a hazard to babies during the lactation period |

Temprid 75 Residual Insecticide

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 31.01.2024 |
| 2.0 | 29.07.2024 | 11193982-00003 | Date of first issue: 10.04.2023 |

1,2-Benzisothiazol-3(2H)-one:

| | | |
|----------------------|---|--|
| Effects on fertility | : | Test Type: Fertility/early embryonic development |
| | : | Species: Rat |
| | : | Application Route: Ingestion |
| | : | Method: OPPTS 870.3800 |
| | : | Result: negative |

STOT - single exposure

May cause damage to organs (Nervous system).

Components:**beta-Cyfluthrin (ISO):**

| | | |
|-----------------|---|---|
| Exposure routes | : | Ingestion |
| Target Organs | : | Nervous system |
| Assessment | : | Shown to produce significant health effects in animals at concentrations of 300 mg/kg bw or less. |

| | | |
|-----------------|---|--|
| Exposure routes | : | Skin contact |
| Target Organs | : | Nervous system |
| Assessment | : | Shown to produce significant health effects in animals at concentrations of 1000 mg/kg bw or less. |

STOT - repeated exposure

May cause damage to organs through prolonged or repeated exposure.

Components:**Imidacloprid:**

| | | |
|------------|---|--|
| Assessment | : | May cause damage to organs through prolonged or repeated exposure. |
| Remarks | : | Based on national or regional regulation. |

1,2-Benzisothiazol-3(2H)-one:

| | | |
|------------|---|--|
| Assessment | : | No significant health effects observed in animals at concentrations of 100 mg/kg bw or less. |
|------------|---|--|

Repeated dose toxicity**Components:****Glycerine:**

| | | |
|-------------------|---|-----------------------------|
| Species | : | Rat |
| NOAEL | : | 0.167 mg/l |
| LOAEL | : | 0.622 mg/l |
| Application Route | : | inhalation (dust/mist/fume) |
| Exposure time | : | 13 Weeks |

| | | |
|---------|---|----------------------|
| Species | : | Rat |
| NOAEL | : | 8,000 - 10,000 mg/kg |

Temprid 75 Residual Insecticide

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 31.01.2024 |
| 2.0 | 29.07.2024 | 11193982-00003 | Date of first issue: 10.04.2023 |

Application Route : Ingestion
Exposure time : 2 yr

Species : Rabbit
NOAEL : 5,040 mg/kg
Application Route : Skin contact
Exposure time : 45 Weeks

Imidacloprid:

Species : Mouse, male
LOAEL : 17 mg/kg
Application Route : Ingestion
Exposure time : 24 Months

1,2-Benzisothiazol-3(2H)-one:

Species : Dog
NOAEL : 5 mg/kg
LOAEL : 20 mg/kg
Application Route : Ingestion
Exposure time : 90 Days
Method : Directive 67/548/EEC, Annex, B.27

Aspiration toxicity

Not classified based on available information.

Section 12: Ecological information

Ecotoxicity

Components:

Glycerine:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 54,000 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1,955 mg/l
Exposure time: 48 h

Toxicity to microorganisms : NOEC (Pseudomonas putida): > 10,000 mg/l
Exposure time: 16 h
Method: DIN 38 412 Part 8

Imidacloprid:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 211 mg/l
Exposure time: 96 h

Toxicity to daphnia and other aquatic invertebrates : EC50: 0.0027 mg/l
Exposure time: 48 h

Temprid 75 Residual Insecticide

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 31.01.2024 |
| 2.0 | 29.07.2024 | 11193982-00003 | Date of first issue: 10.04.2023 |

| | |
|--|--|
| Toxicity to algae/aquatic plants | : ErC50 (Desmodesmus subspicatus (green algae)): > 10 mg/l Exposure time: 96 h Method: OECD Test Guideline 201 NOEC (Desmodesmus subspicatus (green algae)): >= 10 mg/l Exposure time: 96 h Method: OECD Test Guideline 201 |
| M-Factor (Acute aquatic toxicity) | : 100 |
| Toxicity to fish (Chronic toxicity) | : NOEC (Oncorhynchus mykiss (rainbow trout)): 9.02 mg/l Exposure time: 91 d Method: OECD Test Guideline 210 |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : EC10: 0.000056 mg/l Exposure time: 21 d |
| M-Factor (Chronic aquatic toxicity) | : 1,000 |
| Toxicity to microorganisms | : NOEC (activated sludge): 5,600 mg/l Exposure time: 3 h |
| Toxicity to soil dwelling organisms | : EC50 (Eisenia fetida (earthworms)): 10.70 mg/kg Exposure time: 14 d |
| Toxicity to terrestrial organisms | : LD50 (Coturnix japonica (Japanese quail)): 31 mg/kg LD50 (Apis mellifera (bees)): 0.0081 µg/bee |

Alkyl naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

| | |
|---|---|
| Toxicity to fish | : LC50 (Danio rerio (zebra fish)): > 10 - 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203 Remarks: Based on data from similar materials |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202 Remarks: Based on data from similar materials |
| Toxicity to algae/aquatic plants | : EC50 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l Exposure time: 72 h Method: OECD Test Guideline 201 Remarks: Based on data from similar materials EC10 (Pseudokirchneriella subcapitata (green algae)): > 100 mg/l |

Temprid 75 Residual Insecticide

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 31.01.2024 |
| 2.0 | 29.07.2024 | 11193982-00003 | Date of first issue: 10.04.2023 |

| | |
|--|--|
| | Exposure time: 72 h |
| | Method: OECD Test Guideline 201 |
| | Remarks: Based on data from similar materials |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : EC10 (Daphnia magna (Water flea)): > 1 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 Remarks: Based on data from similar materials |

beta-Cyfluthrin (ISO):

| | |
|---|---|
| Toxicity to fish | : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.068 µg/l Exposure time: 96 h Method: OECD Test Guideline 203 |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Hyalomma azteca (Amphipod)): > 0.0001 - 0.001 µg/l Exposure time: 48 h Remarks: Based on data from similar materials |
| M-Factor (Acute aquatic toxicity) | : 1,000,000 |
| Toxicity to fish (Chronic toxicity) | : NOEC (Oncorhynchus mykiss (rainbow trout)): > 0.001 - 0.01 µg/l Exposure time: 58 d Remarks: Based on data from similar materials |
| M-Factor (Chronic aquatic toxicity) | : 1,000,000 |
| Toxicity to soil dwelling organisms | : EC50 (Eisenia fetida (earthworms)): > 5,000 mg/kg Exposure time: 14 d |
| Toxicity to terrestrial organisms | : LD50 (Colinus virginianus (Bobwhite quail)): > 2,000 mg/kg LD50 (Apis mellifera (bees)): 0.05 µg/bee |

1,2-Benzisothiazol-3(2H)-one:

| | |
|---|---|
| Toxicity to fish | : LC50 (Oncorhynchus mykiss (rainbow trout)): 0.74 mg/l Exposure time: 96 h |
| Toxicity to daphnia and other aquatic invertebrates | : EC50 (Daphnia magna (Water flea)): 2.24 mg/l Exposure time: 48 h |
| Toxicity to algae/aquatic plants | : ErC50 (Pseudokirchneriella subcapitata (green algae)): 0.1087 mg/l Exposure time: 24 h EC10 (Pseudokirchneriella subcapitata (green algae)): 0.0268 mg/l Exposure time: 24 h |

Temprid 75 Residual Insecticide

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 31.01.2024 |
| 2.0 | 29.07.2024 | 11193982-00003 | Date of first issue: 10.04.2023 |

| | | |
|--|---|--|
| M-Factor (Acute aquatic toxicity) | : | 1 |
| Toxicity to fish (Chronic toxicity) | : | NOEC (Pimephales promelas (fathead minnow)): 0.28 mg/l Exposure time: 33 d Method: OECD Test Guideline 210 |
| Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) | : | NOEC (Daphnia magna (Water flea)): 0.91 mg/l Exposure time: 21 d Method: OECD Test Guideline 211 |
| Toxicity to microorganisms | : | NOEC: 10.3 mg/l Exposure time: 3 h Method: OECD Test Guideline 209 |

Persistence and degradability**Components:****Glycerine:**

| | | |
|------------------|---|---|
| Biodegradability | : | Result: Readily biodegradable. Biodegradation: 92 % Exposure time: 30 d Method: OECD Test Guideline 301D |
|------------------|---|---|

Imidacloprid:

| | | |
|------------------|---|--------------------------------|
| Biodegradability | : | Result: not rapidly degradable |
|------------------|---|--------------------------------|

Alkyl naphthalenesulfonic acid, polymer with formaldehyde, sodium salt:

| | | |
|------------------|---|---|
| Biodegradability | : | Result: Not readily biodegradable. Remarks: Based on data from similar materials |
|------------------|---|---|

1,2-Benzisothiazol-3(2H)-one:

| | | |
|------------------|---|----------------------------|
| Biodegradability | : | Result: rapidly degradable |
|------------------|---|----------------------------|

Bioaccumulative potential**Components:****Glycerine:**

| | | |
|--|---|----------------|
| Partition coefficient: n-octanol/water | : | log Pow: -1.75 |
|--|---|----------------|

Imidacloprid:

| | | |
|--|---|---------------|
| Partition coefficient: n-octanol/water | : | log Pow: 0.57 |
|--|---|---------------|

Temprid 75 Residual Insecticide

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 31.01.2024 |
| 2.0 | 29.07.2024 | 11193982-00003 | Date of first issue: 10.04.2023 |

beta-Cyfluthrin (ISO):

| | | |
|-----------------|---|--|
| Bioaccumulation | : | Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): 1,508 Method: OECD Test Guideline 305 |
|-----------------|---|--|

| | | |
|--|---|--------------------|
| Partition coefficient: n-octanol/water | : | log Pow: 5.8 - 5.9 |
|--|---|--------------------|

1,2-Benzisothiazol-3(2H)-one:

| | | |
|-----------------|---|--|
| Bioaccumulation | : | Species: Lepomis macrochirus (Bluegill sunfish) Bioconcentration factor (BCF): 6.62 |
|-----------------|---|--|

| | | |
|--|---|--------------|
| Partition coefficient: n-octanol/water | : | log Pow: 0.7 |
|--|---|--------------|

Mobility in soil

No data available

Other adverse effects

No data available

Section 13: Disposal considerations**Disposal methods**

| | | |
|---------------------|---|---|
| Waste from residues | : | It is best to use all of the product in accordance with label directions. If it is necessary to dispose of unused product, please follow container label instructions and applicable local guidelines. Do not dispose of waste into sewer. |
|---------------------|---|---|

| | | |
|------------------------|---|--|
| Contaminated packaging | : | Follow advice on product label and/or leaflet. Empty containers retain residue and can be dangerous. Do not re-use empty containers. |
|------------------------|---|--|

Section 14: Transport information**International Regulations****UNRTDG**

| | | |
|---------------------------|---|--|
| UN number | : | UN 3082 |
| Proper shipping name | : | ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (beta-Cyfluthrin (ISO), Imidacloprid) |
| Class | : | 9 |
| Packing group | : | III |
| Labels | : | 9 |
| Environmentally hazardous | : | no |

IATA-DGR

| | | |
|-----------|---|---------|
| UN/ID No. | : | UN 3082 |
|-----------|---|---------|

Temprid 75 Residual Insecticide

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 31.01.2024 |
| 2.0 | 29.07.2024 | 11193982-00003 | Date of first issue: 10.04.2023 |

Proper shipping name : Environmentally hazardous substance, liquid, n.o.s.
(beta-Cyfluthrin (ISO), Imidacloprid)

Class : 9

Packing group : III

Labels : Miscellaneous

Packing instruction (cargo aircraft) : 964

Packing instruction (passenger aircraft) : 964

IMDG-Code

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(beta-Cyfluthrin (ISO), Imidacloprid)

Class : 9

Packing group : III

Labels : 9

EmS Code : F-A, S-F

Marine pollutant : yes

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

National Regulations**NZS 5433**

UN number : UN 3082

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID,
N.O.S.
(beta-Cyfluthrin (ISO), Imidacloprid)

Class : 9

Packing group : III

Labels : 9

Hazchem Code : 3Z

Marine pollutant : no

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

Section 15: Regulatory information**Safety, health and environmental regulations/legislation specific for the substance or mixture****HSNO Approval Number**

HSR100720

Tolerable Exposure Limits (TEL)

Not applicable

Temprid 75 Residual Insecticide

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 31.01.2024 |
| 2.0 | 29.07.2024 | 11193982-00003 | Date of first issue: 10.04.2023 |

Environmental Exposure Limits (EEL)

| Chemical name | Environmental compartment | Reference concentration |
|---------------|---------------------------|-------------------------|
| imidacloprid | Water | 0.038 µg/l |
| imidacloprid | Soil | 1 µg/kg (Dry weight) |
| imidacloprid | Sediment | 1 µg/kg (Dry weight) |

HSW Controls

Certified handler certificate not required.

Tracking hazardous substance not required.

Refer to the Health and Safety at Work (Hazardous Substances) Regulations 2017, for further information.

| | |
|------------------|---|
| Product Type | : Insecticides, acaricides and products to control other arthropods |
| Active substance | : 25 g/l beta-Cyfluthrin (ISO) 50 g/l Imidacloprid |

Section 16: Other information

Revision Date : 29.07.2024

Further informationSources of key data used to compile the Safety Data Sheet : Internal technical data, data from raw material SDSs, OECD eChem Portal search results and European Chemicals Agency, <http://echa.europa.eu/>

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Date format : dd.mm.yyyy

Full text of other abbreviations

NZ OEL : New Zealand. Workplace Exposure Standards for Atmospheric Contaminants

NZ OEL / WES-TWA : Workplace Exposure Standard - Time Weighted average

AIIC - Australian Inventory of Industrial Chemicals; ANTT - National Agency for Transport by Land of Brazil; ASTM - American Society for the Testing of Materials; bw - Body weight; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemi-

Temprid 75 Residual Insecticide

| | | | |
|---------|----------------|----------------|---------------------------------|
| Version | Revision Date: | SDS Number: | Date of last issue: 31.01.2024 |
| 2.0 | 29.07.2024 | 11193982-00003 | Date of first issue: 10.04.2023 |

cal Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; Nch - Chilean Norm; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NOM - Official Mexican Norm; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TDG - Transportation of Dangerous Goods; TECI - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative; WHMIS - Workplace Hazardous Materials Information System

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and shall not be considered a warranty or quality specification of any type. The information provided relates only to the specific material identified at the top of this SDS and may not be valid when the SDS material is used in combination with any other materials or in any process, unless specified in the text. Material users should review the information and recommendations in the specific context of their intended manner of handling, use, processing and storage, including an assessment of the appropriateness of the SDS material in the user's end product, if applicable.

NZ / EN